

Send a Submission

Submission ID	142369
Date of submission	Dec 03, 2021 10:27

The following information has been submitted from the ESCOSA:

Project Title:	Water resources at Cape Jaffa
Date:	Dec 03, 2021
Author type:	Individual
First Name:	Bronwyn
Last Name:	Smith
Organisation:	Cape Jaffa Anchorage Marina
Email:	██████████

It is the Commission's practice to treat submissions as public information, unless there is an express request from a submitter to treat the submission (or part of it) as confidential.

Is your submission confidential?:	No (My submission is not confidential)
--	--

Option to write your submission Or any comments:	<p>My name is Bronwyn Smith and I reside at Cape Jaffa Anchorage Marina. The Marina was built by Lucas Corporation and all land owners signed encumbrances including water which was potable at the time of signing.</p> <p>Recently all owners have received emails regarding the potable water and we have been told by ██████ that the drinking water is too high in fluoride deeming it unfit for drinking. There were a number of options ██████ ██████ could have taken but have decided that it is not viable to rectify the situation because of the small population here.</p> <p>The residents including myself are against this outcome and strongly object to it. It has devalued our properties, our living standards and left us in limbo as to how we can solve this problem and retain our drinking water.</p> <p>Most of us have rainwater tanks but some properties can only have one tank as the property isn't large enough therefore relying on mains water. We are advised not to drink this water and that includes brushing teeth, food preparation and ice making.</p> <p>There has been many times recently that the mains water has failed leaving us with not water which is essential for toilets and showers which are connected to the mains system.</p> <p>If you need correspondence from the ██████ emails it can be sent to you.</p> <p>Yours sincerely,</p> <p>Bronwyn Smith</p>
---	--

Upload your submission:	
--------------------------------	--

Our preferred format is Acrobat pdf, Maximum attachments size is: 3MB